Thrace's Greenhouses S.A. EPD - Environmental Product Declaration

#### Thrace Greenhouses







# **EPD - Environmental Product Declaration Of Beef tomato**

In accordance with ISO 14025 and PCR 2020:07 "Arable and Vegetables Crops" of The International EPD<sup>®</sup> System.

### **General information**

Owner of the EPD: Location of production site:

Programme:

Programme operator: EPD registration number: Publication date: Validity date:

Geographical scope:

Thrace Greenhouses S.A. Neo Erasmio, Xanthi

The international EPD® system www.environdec.com

EPD international AB S-P-05451 2022-02-24 2027-01-16

Global

# **Programme information**

#### Programme

The International EPD® System

EPD International AB Box 210 60 SE-100 31 Stockholm Sweden

www.environdec.com info@environdec.com



EPDs within the same product category but from different programmes may not be comparable.

Product category rules (PCR): 2020:07 "Arable and Vegetables Crops" of The International EPD® System.

**PCR review was conducted by:** The Technical Committee of the International EPD® System; Chair of the PCR review: Maurizio Fieschi, info@environdec.com

Independent third-party verification of the declaration and data, according to ISO 14025:2006:

□ EPD process certification

☑ EPD verification

Procedure for follow-up of data during EPD validity involves third party verifier:

□ Yes

⊠ No

**Third party verifier:** Koci Vladimir (Individual verifier) "Approved by the International EPD® System" Contact: vlad.koci@vscht.cz

LCA Developer: www.envirometrics.gr



## **Sustainable Growth**

# Agreen revolution.

# **Committed to Innovation & Sustainability**

Thrace Greenhouses were established in 2013 in Neo Erasmio, Xanthi, by two Greek groups with dynamic presence in the global market, Thrace Group and Elastron, that made the strategic decision to invest in innovation and sustainable agriculture.

From their founders to builders and producers, Thrace Greenhouses are directly related to Xanthi, in Thrace municipality, NE Greece. Thus, they invest **in the local community** and agricultural tradition, and particularly in the know-how and passion of their people.

By utilizing the **hydroponic cultivation** method and benefiting from the rich Geothermal energy sources in the greater area, Thrace Greenhouses can guarantee the supply of high quality, low carbon footprint vegetables all year round. By operating in their stateof-the-art facilities that currently occupy 14Ha plot of land, Thrace Greenhouses are the largest geothermal greenhouses in Europe.

Hydroponics is the cultivation of plants without soil. Their roots come into direct contact with nutrient solutions from which they extract the minerals they need for proper development, such as potassium, nitrogen and calcium. Some of the advantages of hydroponics:

- Controlled growth conditions
- Stable, quality crops all year round
- No chemical residues
- Minimum requirements in plant protection
- Conservation of water and essential nutrients
- No soil and groundwater pollution

The company is certified for its Good Agricultural Practices by the GLOBALG.A.P. (GGN 4052852805575). The main markets of Thrace Greenhouses are currently Greece and SE Europe.



# EPD

## **Environmental Product Declaration**

"A long-term, sustainable and transparent measuring tool for environmental impact".

## Clean Energy sourced through Greek soil, Flavor sourced through Greek sun

- Geothermal energy\* is used to meet all the Thrace Greenhouses' heating needs. As a major asset of northern Greece, Geothermal energy could significantly enhance agricultural activity. With its scattered geothermal fields, the wider region of Thrace - and Xanthi in particular - shows tremendous geothermal potential.
- Solely natural solar radiation is used for the growth of Thrace Greenhouses' produce. The required energy for chemical activities within growing plants, as well as the evaporation from the foliage, is achieved though sunshine. The sun in Greece, offers the needed quality and quantity of sunlight all year round. No artificial light is used at Thrace Greenhouses.

\*Geothermal energy is the natural thermal energy generated from the earth's core to its surface. It is a renewable energy source, which can fully **replace the use of petrol** and other conventional heating and cooling methods.

Thrace Greenhouses aims to contribute to positive change and greater transparency when it comes to environmental impact.

## "The path to growth leads back to nature"

"The environment is a key-element of Thrace Greenhouses' value system. By protecting it, we ensure superior quality of the produce we offer our consumers. This is the rewarding feeling that keeps us going."

- **Good Agricultural Practices**. Hydroponics is one of the most advanced & environmentally friendly cultivation methods in practice, while the renewable geothermal energy meets 100% of the heating requirements. Good agricultural practices aren't just about products; they are also about people. TG ensures all workers' health, safety and welfare, while being an active member of the local community.
- Integrated Management System. By applying sustainable management methods of natural resources, TG achieve certified quality of vegetables at every stage.
- Almost Zero Carbon Footprint. Thanks to geothermal energy which requires no fuel, TG not only emit

no  $CO_2$ , but actively generate oxygen due to the photosynthetic process of plants.

- Management of water resources. Hydroponics allows TG to conserve up to 60% more water than traditional farming methods. The recirculation of both water and mineral nutrient solution also helps reduce production costs and environmental impact.
- **Natural Pollination**. The use of insect pollinators ensures premium quality and hormone free produce.
- **Plant waste management**. Rather than burning plant debris from our greenhouses or disposing it into the environment, TG make it available to local farmers as supplementary feed for their livestock.




# **Product information**

Tomato is the base of Mediterranean nutrition and a nutrient-dense superfood that offers benefit to a range of bodily systems. Its nutritional content supports healthful skin, weight loss, and heart health.

Thrace Greenhouses' beef tomato is fresh, juicy and particularly delicious every day.

Beef tomato is classified under code 01234 "Tomatoes" in the United Nations Central Product Classification (CPC) System.



Energy Value	Fruit size	ELEMENTS (per 100g)	MINERALS (per 100g)	VITAMINS (per 100g)	
Energy - 20 kcal		Water - 95%	Calcium - 10 mg	Vitamin K -	
	67	Carbohydrates - 3,9 g	Sodium - 11 mg	Vitamin A -	
	67 mm	Protein - 0,9 g	Potassium - 237 mg	Vitamin C - 13,7 mg	
		Fat - 0,2 g	Copper - 0,3 mg	Vitamin B6 - 0,1 mg	

## LCA information - Life Cycle assessment

Life Cycle Assessment is a method for analysing the environmental impact of a product throughout its life-cycle, from the extraction of raw materials (the cradle) to handling the waste (the grave).

#### Goal of the study

An LCA study has been conducted in accordance with ISO 14025 and the requirements stated in the General Programme Instructions by The International EPD® System. Goal of the present LCA study has been to calculate environmental impact values for hydroponic cluster tomato to create this Environmental Product Declaration, to be used for communicating environmental performance to customers.

#### Scope of the study

The scope of the study is cradle to grave and includes all processes up until beef tomato is cultivated and transported to retail, including end-of-life processes, see Figure 1. All material and resource consumption is tracked back to the point of raw material extraction, mainly by using cradle to-gate data from the Ecoinvent database. The declared unit of the study is 1 kg of product sold unpacked, in accordance with the Product Category Rules (PCR).

#### **Data collection**

The inventory for the LCA study was carried out during 2020. The data for the cultivation of beef tomato was provided by Thrace Greenhouse S.A. staff.

#### Allocation

Allocation rules has been performed in accordance with the requirements of ISO 14044:2006. Wherever possible, allocation was avoided by dividing the unit process to be allocated into two or more sub-processes and collecting the input and output data related to these sub-processes. Where allocation cannot be avoided, the inputs and outputs of the system were partitioned between its different products or functions in a way that reflects the underlying physical or economic relationships between them.

#### **Cut-off rules**

Where there is insufficient data or data gaps for a unit process, the cut-off criteria are 1% of the declared environmental impacts.

#### Additional information about the LCA study

**Time representativeness:** 2020

#### Database(s) and LCA software used: Ecoinvent 3.7.1 OpenLCA Software

**Description of system boundaries:** Cradle-to-grave

#### System diagram

The system boundaries of this EPD are decided by the Product Category Rules (PCR) and illustrated by Figure 1.



## **System boundaries**

Upstream	Raw Materials Supply
	External transportation to the core processes
Core	Agriculture including e.g. operations at the farm(s), air water and soil emissions
Core	Waste treatment of waste generated during manufacturing
	Production of electricity and fuels used in the core module
Deuretreem	Transportation to an average customer
Downstream	End-of-life processes of packaging waste

## **Environmental performance**

## Potential environmental impact

Parameter		Unit	UPSTREAM	CORE	DOWNSTREAM	TOTAL
	TOTAL	kg CO₂ eq	1,42E-01	3,10E-02	6,06E-02	2,34E-01
Global warming	Fossil	kg CO₂ eq	1,41E-01	2,94E-02	5,96E-02	2,30E-01
potential (GWP)	Biogenic	kg CO₂ eq	1,28E-03	1,50E-03	9,20E-04	3,71E-03
	Land use and land transformation	kg CO₂ eq	1,99E-04	4,24E-05	1,67E-05	2,59E-04
Acidification	Acidification potential (AP)		1,13E-03	7,51E-04	1,41E-04	2,20E-04
Eutrophication potential (EP)		kg PO <sub>4</sub> -3 eq	4,84E-04	2,42E-04	8,17E-05	5,80E-05
Formation potential of tropospheric ozone (POCP)		kg NMVOC eq	7,03E-04	3,88E-04	1,23E-04	2,69E-04
Abiotic depletion potential - Elements		kg Sb eq	4,04E-06	3,38E-06	2,50E-06	1,39E-07
Abiotic depletion potential - Fossil resources		MJ	3,10E+00	1,87E+00	3,99E-01	9,23E-01
Water scarcity potential		m³ eq	1,44E-01	9,24E-02	9,99E-03	4,63E-03

## Use of resources

Parameter		Unit	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Primary energy resources - Renewable	Use as energy carrier	MJ	3,54E-01	1,83E+00	1,13E-02	2,19E+00
	Used as raw materials	MJ	0,00E+00	1,00E+00	2,00E+00	3,00E+00
	TOTAL	MJ	3,54E-01	2,83E+00	2,01E+00	5,19E+00
Primary energy	Use as energy carrier	MJ	1,86E+00	3,99E-01	9,23E-01	3,19E+00
resources - Nonrenewable	Used as raw materials	MJ	0,00E+00	1,00E+00	2,00E+00	3,00E+00
	TOTAL	MJ	1,86E+00	1,40E+00	2,92E+00	6,19E+00
Use of secondary material		kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels		MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of non-renewable secondary fuels		MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Fresh water		m³	3,36E-03	2,15E-03	2,33E-04	1,08E-04


## Waste production


Parameter	Unit	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Hazardous waste disposed	Kg	3,09E-06	3,14E-06	2,22E-06	8,45E-06
Non-hazardous waste disposed	Kg	1,63E-01	1,95E-02	8,31E-02	2,66E-01
Radioactive waste disposed	Kg	5,36E-06	2,14E-06	6,32E-06	1,38E-05

## **Output flows**

Parameter	Unit	UPSTREAM	CORE	DOWNSTREAM	TOTAL
Components for reuse	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	Kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00

## **Graphic results**





# Analysis

As it is presented in Figures, the upstream activities are the ones which contribute the most to almost all impact categories for the cultivation of beef tomato. Upstream activities (raw materials supply) are the dominant stage for the majority of the impacts.

For Global Warming potential-luluc, Global Warming potential-fossil, Global Warming potential (total) (GWP), upstream activities contribution ranges from 61% to 77%, while in core activities (i.e., the transport of raw materials to production site and the cultivation of the vegetable), the corresponding contribution does not exceed 16%.

For Acidification potential (AP), Eutrophication potential (EP), Use of net fresh water (FW) and Non-hazardous waste disposed (NHWD), the upstream activities contribution ranges from 61% to 86%, while the corresponding contribution of those indicators in core stage ranges from 7% to 21%. The impact category Use of renewable primary energy excluding resources used as raw materials (PERE), is contributing the most to the core activities (i.e., the transport of raw materials to production site and the manufacturing process of the product).



## References

**General Programme Instructions** of the International EPD<sup>®</sup> System. Version 3.01, 2019-09-18

**PCR 2020:07.** Version 1.0. Arable and Vegetables Crops. EPD System. Date 2020-12-07. Valid until 2024-12-07

**ISO 14020:2000** Environmental labels and declarations - General principles

**ISO 14025:2006** Environmental labels and declarations - Type III environmental declarations - Principles and procedures

**ISO 14040:2006** Environmental management - Life cycle assessment-Principles and framework

**ISO 14044:2006** Environmental management - Life cycle assessment - Requirements and guidelines

## **Contact information**

EPD owner:

LCA author:

Programme operator:

**Thrace Greenhouses S.A.** Neo Erasmio, Xanthi, Greece

**Contact**: Efthimios Livaditis efthimios.livaditis@elastron.gr www.thracegreenhouses.com

Envirometrics Ltd. Karea 20, Athens, Greece info@envirometrics.gr

EPD International AB info@environdec.com